Subject Index

Accommodation region, 194
Adiabatic ballistic transport in micro-constrictions, 192-194
Adiabatic invariant, 137
Adiabatic potentials, 193
  continuum approximation, and 102-103
  ST state, and, 103
  barrier state, and, 103
Adiabatic region, 194
Anderson localization, 207-216, 223-231
Anderson model, 95
Anderson transition, 212
Angle-resolved photoemission, 47, 57, 60
Anisotropy
  lattice, 128-135
  of superconducting gap, 37
  spatial, 132-133
Antiferromagnetic exchange, 218

$BaBiO_3$, 46
$Ba_xK_{1-x}BiO_3$, 12
$BaPb_xBi_{1-x}O_3$, 12
Backscattering, quantized, 179-180, 181
Ballistic transport, adiabatic, in micro-constrictions, 192-194
Berry process, 50
Berry's wave function, 136-139
Bethe ansatz, 50
$Bi_2Sr_2CaCuO_8$ crystals, 37
$Bi_{2.1}Sr_{1.9}Ca_{0.9}Cu_2O_{8+\delta}$, 77-87
Bogoliubov transformation, 141
Boltzmann equation, 99
Born matrix element, 189
Bose condensation, 224
Bottleneck effect, 195-206
  phonon in, 203
Brillouin scattering, resonance, 147
Broken symmetry, 128-135
Broken time reversal invariance, 72

Cbs (*see* Coherent back scattering)
Ceramic samples, 212
Channel, two-dimensional, 185-191
Chaos, 110-118
  border of, 112
Chemical potential, 177
  value of, 175
Chiral order, 73
Chiral state, 72
Classical liquid, 119
  Clebsch variables in, 119
  gravitational and capillary forces in, 119
  Hamiltonian equations in, 121
  Hamiltonian in, 119
Coexistence curve, 131
Coherence lengths, 209, 210
Coherent back scattering, 33, 34
Coherent states, time-periodic, 128-135
Conductances
  global, 183
  scaling properties of, 33
Conduction
  hopping, Mott law for, 213-215
  hopping-like, 212
Conductivity, 154
  Drude, 210
  low-temperature, 154
Conductors, open, quantum Hall effect in, 178
Conformal invariance, 233
Contact with internal reflection, 180-183
Cooper pairs, 207-216, 224, 227
Coulomb repulsion, Hubbard-like, 214
Critical density, 225
Cu-O compounds
  low-energy Excitations, 10
  marginal Fermi-liquid theory of, 9-14
  normal state properties of, 9-14
Curie constant, 214, 215
Curie susceptibility, 219
Curie-Weiss contribution, 214, 215
Current disequilibrium
  and ohmic scaling, in, 28
  longitudinal resistance measurement in, 28

Decoupled network model, 30-31
Deformation potential, 169-170
Degeneracy of Landau level, 161
Degradation of T_c, 213-215
Delocalization
  electric dipole interaction in, 95
  vibrational modes in, 95
Density fluctuations, 218
Density matrix, 190
  diagonal component of, 186
Density of states, 152-159, 174-175
  chemical potential, value of, in measurement of, 175
  fluctuations of random potential, in measurements of, 175
Diagonal component of density matrix, 186
Dielectric properties of a metal, 12
Diffusion coefficients
  Drude-like, 209
  generalized, 209

Diffusion constant, scaling properties of, 33
Digramma-function, 214
Discrete level repulsion, 208-211
Discrete-time systems, 131
Disorder, 207-216
Disordered medium, 33
Disordered system, 208-211
Dispersion law, bulk, 187
Dispersion relation, plasmon-like, 226
Dissipative dynamical systems
  biology, 110-118
  earthquakes, 110-118
  economics, 110-118
  magnetic domain patterns, 110-118
  sandpiles, 110-118
  turbulence and, 110-118
Divergence of number of resonances, 96
  dipole parameters in, 96
Domain growth kinetics, 130
Dopant electrons, 217
Doped semiconductors, uncompensated, 217
Double-barrier structure, 253
Droplet
  distortions, 132
  growth, 128-135
Drude-like diffusion coefficients, 209

Edge states 21-32, 179, 180
  innermost, 182
  outermost, 181
Electrical conduction, 179
Electron correlations, 68
  at high doping levels, 17-18
Electron-electron interaction, 189
Electron-electron repulsion, 156
Electron gas, two-dimensional, 182
Electron light scattering, 37-43
  above the threshold, 40
  threshold, 39
Electron structure and Hall effect, 15-20
Energy-energy correlation function, 97
  scaling exponent in, 98
Energy loss rate, 201-202
Energy transport
  critical exponents in, 100
  scaling analysis of, 100
Epitaxy, molecular beam, 195
EPR measurements, 3-5
  and paramagnetic dielectrics, 7
  angular dependence of the g-factor in, 5
Equations, integrodifferential, 198
Excitation gap, 232
Excitonic quasiparticles, 140-148
Extended state
  and high-mobility Hall conductors, 21
Extinction theorem, 143

Fast neutron irradiation, 207-216
Fermions, chiralities of, 234
Ferromagnetic polaron, 73
Feynman path integral, 170
Fluctuating potential electron motion, 178
Fluctuations, statistical, 215
Flux lattices
  and dislocation loops in the 3D vortex lattice, 85
  and glass, 85
  and quenched-in disorder, 85
  Bitter pattern and, 77
  decoration images in, 78
  free dislocations in, 79
  hexatic phase in, 83
  lattice anisotropy in, 82
  pinning disorder in, 85
  static pair correlation function $g(r)$ and, 80
    static orientational correlation function and, 80
Forbidden region, 193
Forest fire, at critical state, 116
Forest-fire model, 115-116
Frequency dependence, 253-258
Friedel's identity, 51
Frohlich interaction, 197

Game of life
  life and death and, 115
  rules for, 114
Gas, two-dimensional electron, 182
Gate voltages, 181, 194
Global conductances, 183
God, 110
Gor'kov relation, 211, 212
Green's functions, 172, 187
Guiding center energy, 179
Gutenberg-Richter law, "weakly chaotic" systems, and, 114

Hall coefficient, 247-252
Hall constant R_H, 16
Hall effect, 15-20, 57, 64
  quantum, in open conductors, 176-184
Hall plateaux, 23
Hall resistance, 46, 177-178
Hall resistivity, 23
Hamiltonian
  model of, 145
  normal modes for, 96
Heat conductivity, 46-47
Heisenberg spin-1 chain, 232-238
  and Majorana (real) fermions, 232-238
  and single-ion anisotropy, 232-238
Heisenberg spins, 69
Heterostructures, 152-159

Hexatic vortex glass, 77-87
  long range bond orientational order, in, 77
  short range positional order, in, 77
High mobility, 158
High-mobility quantum Hall conductors, 30
High-temperature oxides, 207-216
High-temperature superconductivity
  at high doping levels, 15-20
  theory of, locally antiferromagnetic environment in, 6
High-temperature superconductors, 247-252
  and Bethe-ansatz, 44-65
  and nuclear relaxation rate T_1^{-1}, 11
  anisotropic gap, 41
  EPR measurements in, 1
  Fano resonances, in, 38
  Landau Fermi liquid theory and, 44-65
  localized magnetic moments of, 1
  Luttinger liquid theory and, 44-65
  magnetism and superconductivity in, 68
  maximal gap value, 42
  Meissner transition in, 79
  new quantum liquid and, 44-65
  normal state of, 44-65
  resistivity at low temperature in, 12
  RS spectra in, 38
  substitution of Zn for Cu atoms in, 1
  suppression of T_c in, 5
    by impurities, 12
  T_c's vs. layer number in, 49
Highly disordered systems, 207-216
Holon, 58, 61
Hopfield model, 140
Hopping conduction, Mott law for, 213-215
Hopping matrix elements, 217
Hubbard model, 68-76
  disordered, 217-222
  extended, 69
  one-dimensional, 15-20, 45
    and dynamical Friedel theorem, 55
    and Green's function, 56
    and Hall effect, 18
    and Hubbard I type decoupling, 18
    and "squeezed" Heisenberg model, 53
    density of states in, 54
    holons in, 53
    spinons in, 53
  two dimensional, 44-65
    and renormalized Bethe ansatz, 52
    Hubbard "ghost" condensate in, 52
    $Z = 0$ in, 52
Hubbard repulsion, 217
Hubbard-like Coulomb repulsion, 214
Hydrodynamics
  of classical and quantum liquids, 119

Ideal contact resistance, 22
Incommensurate periods, 133
"Infrared catastrophe" theorem, 50
Instanton process, 104
Insulating phase, 207-216
Integer quantum Hall effect (IQHE), 24, 152-159
Integration, steepest descent, 188
Integrodifferential equations, 198
Intensity correlation, measurement of, 242
Intensity correlation function, 242
  cumulant, 244
  of microwave radiation, 245
Intensity fluctuations, 241, 239
Internal reflection, contacts with, 180-183
Intervalley scattering, 190
Intracollisional effect, 204
IQHE (*see* Integer quantum Hall effect)
Irradiation, fast neutron, 207-216
Ising model, 130
Itinerant fluid, contributions of to temperature dependencies, 218
Itinerant quasiparticles, 217-222

"Kolmogorov" length, 116
Kondo effect, 219
Kosterlitz-Thouless superconducting transition, 60

La_2CuO_4, 15-20, 68
$La_2CuO_{4+\delta}$, 68, 74
$La_{2-x}Sr_xCuO_4$, 15-20, 73, 88-94
Laguerre polynomials, 173
Landau Institute of Theoretical Physics
  reflections on founding of, 149-151
  "brothers-highway robbers" explained in Reflections, 150
  "gipsy encampment" explained in Reflections, 150
Landau levels, 157, 158, 160, 161, 172
  subband of, 161
Landau liquid theory
  and wave-function renormalization constant Z, 51
Landau quantization, 160
Lattice, orthorhombic, 209
Level spacing, 239, 240
Level width, 239, 240
Levinson's theorem, 51
Linear response theory, 23-24, 178
Local moments, contributions of to temperature dependencies, 218
Localization, 10-12, 160-168
  Anderson model for, 95
  effects of, in high-temperature superconductors, 207-216
  length of, 208-211
  localized, critical and extended states in, 97
  random on-site potential in, 95

Localization-delocatization transition, 161, 163
  in Landau levels, 163
Localized moments, formation of, 2-3
Longitudinal resistances, quantized, 179
Luttinger liquid
  and fractionation of quantum numbers, 49
  and holons, 49
  and spinons, 49
  model of, 57-64
Luttinger's theorem, 12

Magnetic correlations, 17
Magnetic order, 88-94
Magnetic susceptibility, 71
Magneto-resistance, 176-184
  ballistic, 194
Majorana fermions, masses of, 237
Marginal Fermi-liquids, 12
Mean-free time, 209
Medium, dissipative, 137
Mesoscopic conductors and devices, 23
Metal-insulator transition, 207-216, 217-222, 223-231
Metallic conductivity, "minimal," 207-216
Metallic contact, 179
Metastable states, long-lived, 128-135
Microconstrictions, adiabatic ballastic transport in, 192-194
Minimal metallic conductivity, 207-216
Mobility edge, 209
  scaling theory for, 33
Molecular beam epitaxy, 195
Mott hopping, 179
Mott insulator-metal transition, 75
Mott law for hopping conduction, 213-215
Mott transition, 15-20
Mott-Hubbard transition, 16-17
Mott-Hubbard type of metal-insulator transition, 207-216
Multiphonon trapping rate, 102-109

$Nd_{2-x}Ce_xCuO_4$, 15-20
Nd_2CuO_4, 15-20
NMR (*see* Nuclear magnetic resonance)
Noise, quantum, 194
Noisy, many-body systems, 128-135
Nonequilibrium phonon, 202
Nonequilibrium systems, 134
  extended, 128-135
Nonlinear reflectivity, 140-147
Nonlinear resonance Brillouin scattering, 140-147
Nonlinear sigma-model, 217-222, 232
Nonlinear transport situation
  traffic flow and, 113
Nonlocal longitudinal resistances, in, 29
Normal state, 68
Nuclear magnetic resonance
  and Knight shifts, 47-49
  and Korringa law, 20, 58
  relaxation process in, 47-49
Nuclear relaxation rate, 12
Nucleation and temporally-periodic states, 128-135

Off-diagonal elements, 195-206
Omori's law, 114
One-band Hubbard or *t-J* model, 16
Operators, photon-wave packet, 199
Optical conductivity, 12
Orthogonality catastrophe, 56
Orthorhombic lattice, 209
Oscillations, Shubnikov-de Haas, 182
Oxygen-deficient samples, 212

Path integral
  and semiclassical approximation, 103
Percolation theory, 178
Perestroika, 151
Perturbation theory, 188-189
Periodic Anderson model, 68
Periodic states
  metastable, 128-135
  stabilization of, 129-132
  temporal, 125-135
Phase
  Bose glass, 225
  segregation and doping, 74
  superconducting, 225
Phonons, 95
  absorption by 2D electrons, 169-175
  bottleneck effect, and 203
  lifetime, of, 169-171, 173
Phonoritons, 140-147
  analogy to inverse Raman scattering, 146
  nonlinear reflectivity experiment (NLR) in, 146
  nonlinear resonance Brillouin scattering (NLRBS) in, 146
  two-level model of, 146
Polariton, 140-147
  and squeezing, 140-143
  Hamiltonian, 140
  Hopfield model, 140
  real squeezing factor, 142
  squeezed electromagnetic and exciton modes, 142
Polarization measurement, 38
Polarization operator, 170-173
Photogalvanic effect, 194
Photon-wave packet operators, 199
Preexponential factor B(T)
  high temperatures and, 107
  low temperatures and, 105

Quantized backscattering, 179-180, 181
Quantum fluid
  surfacial waves in, 124
  first sound in, 124
  second sound in, 124, 125
  standing surface waves, 125-127
Quantum Hall effect
  and s-matrix approach, 21-32
  bulk state and, 26
  disorder and, 26-27
  disordered potential and, 25
  edge-states and, 26
  electron screening in, 153
  extended states, 27-29
  fractional, 160, 164
    even denominator fraction, 165
    fractional charge, 164
    Landau level in, 166
  in open conductors, 176-184
  integer, 152-159
  integral, 160
  percolation in, 154, 157
  random potential in, 152
  transmission coefficient $T_{n,n-1}$, and, 25
Quantum Hall resistance, 161
Quantum noise, 194
Quantum optics extinction theorem, 140-147, 143-144
Quantum superfluid liquid
  Clebsch variables in, 123
  surface motion in, 123
Quantum-wire systems, 254
Quasiequilibrium assumption, 196
Quasiparticles
  as Fermi liquid, 218
  excitonic, 140-148
  itinerant, 217-222
Quasi-2D-antiferromagnet
  AF domains in, 88-94
  Curie-Weiss law and, 92
  defect-induced fluctuations in, 90
  effective Hamiltonian and, 89-92
  Jahn-Teller effect, in, 89
  magnetic phase-diagram of, 89
  magnetic susceptibility χ in, 92
  reentrant AF transition in, 88-94
  three-dimensional AF and, 93
  two-dimensional correlation length and, 92

Raman scattering, inverse, 146
Randon field, 208-211
Random potential, 158, 217-222, 225
  fluctuations, of, 175
Rayleigh-Benard systems, 134
Reciprocity symmetries, 23
Reflection, internal, contacts with, 180-183
Relaxation, time-dependent, 203-204
Renormalization equation, 97-99
  fixed points in, 100
  integrals of motion, 100
  H-theorem, 100
  stationary distributions, 100
  maximum of entropy, 100
Repulsion, discrete level, 208-211
Resistance, longitudinal and Hall, 176
Resistivity, 12, 57, 60
  in the *ab* plane, 46
  universal, 223-231
Resonance Brillouin scattering, 147
Resonant tunneling, 253-258
Resonant valence bonds (RVB), 9-14
  and Fermi surface phase shift, 50
  and interlayer tunneling matrix elements, 59
Resonating valence bond theory, gauge interaction between free holes in, 6
RKKY-interaction, 71, 74

S-wave superconductivity, 10-11
Samples, oxygen-deficient, 212
Sandpiles, dynamics of, 117
Scattering
  by inhomogeneities, 189-190
  intervalley, 190
  Raman and resonance Brillouin, 146-147
Scattering matrix, 177
Screening radius, 157
Shubnikov-de Haas oscillations, 159, 182
Self-energy, 12
Self-organized critical state
  critical attractor and, 110
  critical point for second order phase transitions and, 110
  earthquakes and, 111
  magnetic garnet films and, 111
  magnetic recording tape and, 111
  "1/f" spectrum and, 110
  plastic flow and, 111
  resilience and, 110
  zero Lyapunov exponent, 110
Self-trapping (ST) rate, 102-109
  and thermally activated tunneling (instanton mechanism), 102
  Arrhenius process and, 102
  defect production and, 108
  prefactor $B(T)$ and, 105
Semiclassical approximation, 193
Single-channel Landauer formula, intensive parameter ρN in, 30
Singularity, 247
Space charge, 254
Spectroscopy
  infrared (IR), 47
  Raman, 47

Spin density, 219
Spin diffusivity, 221
Spin pair breaking effects on T_c, 74
"Spin-bag" mechanism, 68
Spin-glass problem, 88-94
Spin susceptibility, 217, 218, 220, 221
Spinon, 61
Spinon excitations, 1d, 45
"Squeezed" Heisenberg problem, 63
Squeezing and polaritons, 140-143
Stationary states, 187
Stationary system behavior, 129-132
Statistical fluctuations, 215
Steepest descent method and integration, 188
Strong magnetic field
  phonon absorption by 2D electrons in, 169-175
Submicron size, 192-194
Superconductivity, 207-216
Superconductor-insulator transitions, 223-231
Superexchange, 88-94
Symmetry, broken, 128-135
Systems, highly disordered, 207-216

T_c, degradation of, 213-215
Temperature dependence of ELS, 38
Tetragonal symmetry D_{4h}^{17} (*I4/mmm*), 37
Thermal conductivity, 173-175
Thermoelectric power, 46
Time-dependent relaxation, 203-204
Time-periodic states, 128-135
Time-translation invariance, 128-135
$Tl_{2\text{-}Ba2}CaCu_2O_8$, 37
Transformation, Bogoliubov, 141
Transmission coefficient, 193
Transit time, 253
Transition
  Anderson, 212
  metal-insulator, 207-216
  metal-nonmetal (MNMT), 152-159
Transport
  adiabatic ballistic in micro-constrictions, 192-194
  hot electron, 204-206
Trapping of hot particles, 107-108
Tunneling of electrons, 185-191
  into the normal state and finite zero-bias conductance, 46
Turbulence
  fire-fire correlation function and, 116
  fractal set in, 115
Two-band model in high T_c superconductors, 68-76
Two-dimensional electron gas, 182
Two-dimensional electrons, 152-159, 160-168, 169-175
  phonon absorption by, 169-175
Two-fluid model, 217-222
Two-mode squeezing Hamiltonian, 142

Universality class, 233-234

Voltages, gate, 181, 194
Vortex
  dynamics of, 227
  glass phase, 228
  motion of, 227
  quantum fluctuations, 228

Wave function, Berry's, 136-139
Wave-packet construction, 200
Weak localization, 34
  absorption in, 35
  scaling properties of f_2 in, 34

$Y_{Ba_2Cu_3O_6}$, 15-20
$YBa_2Cu_3O_7$ crystals, 37
YBCO, chains in, 45

$Z = 0$ spinons, 63